

Consumíveis para a Soldagem de Aços Inoxidáveis

	304L 1.4301 / S30403	316L 1.4404 / S31603	321 1.4541 / S32100	304H 1.4948 / S30409	316Ti 1.4571 / S31635	321H 1.4878 / S32109	310S 1.4845 / S31008	904L 1.4539 / N08904	Alloy 20Cb 2.4660 / N08020	Aust. 6%Mo Superaustenitico	Duplex 2304 1.4362 / S32304	Duplex 2205 1.4462 / S31803	Sduplex 2507 1.4501 / S32760	Sduplex 255 1.4507 / S32550	Aço C e Baixa Liga
304L 1.4301 / S30403	E/ER308L E/ER316L	E/ER316L E/ER309L	E/ER347 E/ER309L	E/ER308H	E/ER318	E/ER347H	E/ER310	E/ER385	E/ER320LR	E/ERNiCrMo-3 E/ERNiCrMo-10	E/W/G 23 7 L E/ER2209	E/ER2209 E/ER2594	E/ER2594 Zerom100X	E/ER2553	E/ER309L E/ER307
316L 1.4404 / S31603	E/ER 316L E/ER309LMo	E/ER316L E/ER317L	E309Nb E/ER309LMo	E/ER309L E/ER309Mo	E/ER318 E/ER309Mo	E/ER318 E/ER309Mo	E/ER310 E/ER309Mo	E/ER385 E/ER309LMo	E/ER320LR E/ER309LMo	E/ERNiCrMo-3	E/ER2209 E/ER2594	E/ER2209 E/ER2594	E/ER2594 E/ER2209	E/ER2553 E/ER2594	E/ER309LMo E/ER309L
321 1.4541 / S32100	E/ER347 E/ER309L	E/ER318 E/ER309LMo	E/ER347	E/ER347	E/ER318	E/ER347H	E/ER310 E/ER347H	ENiCrFe-2/-3 ERNiCr-3	E/ER320LR ENiCrFe-2/-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	E309Nb E/ER309
304H 1.4948 / S30409	E/ER308H E/ER 308L	E/ER318 E/ER316L	E/ER347 E/ER308H	E/ER308H	E/ER318 E/ER308H	E/ER347H E/ER308H	E/ER310 E/ER308H	ENiCrFe-2/-3 ERNiCr-3	E/ER320LR ENiCrFe-2/-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	E/ER309 E/ER309L
316Ti 1.4571 / S31635	E/ER318 E/ER308L	E/ER318 E/ER316L	E/ER318 E/ER347	E/ER318 E/ER308H	E/ER318	E/ER318 E/ER347H	E/ER310 E/ER318	ENiCrFe-2/-3 ERNiCr-3	E/ER320LR ENiCrFe-2/-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	E309Nb E/ER309L
321H 1.4878 / S32109	E/ER347H E/ER308L	E/ER318 E/ER347H	E/ER347H E/ER347	E/ER347H E/ER308H	E/ER318 E/ER347H	E/ER347H	E/ER310 E/ER347H	ENiCrFe-2/-3 ERNiCr-3	E/ER320LR ENiCrFe-2/-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	E309Nb E/ER309L
310S 1.4845 / S31008	E/ER310 E/ER308H	E/ER310 E/ER318	E/ER310 E/ER347	E/ER310 E/ER308H	E/ER310 E/ER318	E/ER310 E/ER347H	E/ER310	E/ER310 ENiCrFe-2/-3	E/ER310 ENiCrFe-2/-3	E/ER310 ENiCrFe-2/-3	E/ER310 ENiCrFe-2/-3	E/ER310 ENiCrFe-2/-3	E/ER310 ENiCrFe-2/-3	E/ER310 ENiCrFe-2/-3	E309Nb E/ER309L
904L 1.4539 / N08904	E/ER385 E/ER309LMo	E/ER385 E/ER309LMo	E/ER320LR E/ER309LMo	E/ER320LR E/ER309Nb	E/ER320LR E/ER309Nb	E/ER320LR E/ER309Nb	E/ER320LR E/ER309Nb	E/ER385	E/ER320LR E/ERNiCrMo-3	E/ERNiCrMo-4 E/ERNiCrMo-10	E/ERNiCrMo-4 E/ERNiCrMo-10	E/ERNiCrMo-4 E/ERNiCrMo-10	E/ERNiCrMo-4 E/ERNiCrMo-10	E/ERNiCrMo-4 E/ERNiCrMo-10	E/ER309LMo E/ERNiCrMo-3
Alloy 20Cb 2.4660 / N08020	E/ER320LR E/ER309L	E/ER320LR E/ER309LMo	E/ER320LR E309Nb	E/ER320LR E309Nb	E/ER320LR E/ER318	E/ER320LR E309Nb	E/ER320LR E309Nb	E/ER320LR E/ER385	E/ER320LR	E/ERNiCrMo-3	E/ERNiCrMo-4 E/ERNiCrMo-10	E/ERNiCrMo-4 E/ERNiCrMo-10	E/ERNiCrMo-4 E/ERNiCrMo-10	E/ERNiCrMo-4 E/ERNiCrMo-10	E309Nb
Aust 6%Mo Superaustenitico	E/ERNiCrMo-3	E/ERNiCrMo-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	E/ERNiCrMo-3	ENiCrFe-2/-3 ERNiCr-3	E/ERNiCrMo-3 E/ERNiCrMo-10	E/ERNiCrMo-4 E/ERNiCrMo-10	E/ERNiCrMo-4 E/ERNiCrMo-10	E/ERNiCrMo-4 E/ERNiCrMo-10	E/ERNiCrMo-4 E/ERNiCrMo-10	E/ERNiCrMo-3
Duplex 2304 1.4362 / S32304	E/ER2209 E/ER309L	E/ER2209 E/ER309L	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	E/ERNiCrMo-4	ENiCrFe-2/-3 ERNiCr-3	E/ERNiCrMo-4 E/ERNiCrMo-10	E/ER2209 E/ER2594	E/ER2209 E/ER2594	E/ER2594	E/ER2553	E/ER2209 E/ER309LMo
Duplex 2205 1.4462 / S31803	E/ER2209 E/ER309L	E/ER2209 E/ER309L	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	E/ERNiCrMo-4	ENiCrFe-2/-3 ERNiCr-3	E/ERNiCrMo-4 E/ERNiCrMo-10	E/ER2209 E/ER2594	E/ER2209 E/ER2594	E/ER2594	E/ER2553	E/ER2209 E/ER309LMo
Sduplex 2507 1.4501 / S32760	E/ER2594 E/ER2209	E/ER2594 E/ER2209	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	E/ERNiCrMo-4	E/ERNiCrMo-4	E/ERNiCrMo-4 E/ERNiCrMo-10	E/ER2594 E/ER2209	E/ER2594 E/ER2209	E/ER2594	E/ER2553	E/ER2594 E/ER309LMo
Sduplex 255 1.4507 / S32550	E/ER2594 E/ER2209	E/ER2594 E/ER2209	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	ENiCrFe-2/-3 ERNiCr-3	E/ERNiCrMo-4	E/ERNiCrMo-4	E/ERNiCrMo-4 E/ERNiCrMo-10	E/ER2553 E/ER2209	E/ER2553 E/ER2209	E/ER2553 E/ER2594	E/ER2553	E/ER2553 E/ER309LMo
Aço C e Baixa liga	E/ER309L 188Mn	E/ER309LMo E/ER309L	E/ER309H E/ER309Nb	E/ER309H E/ER309Nb	E/ER309Nb	E/ER309Nb	E/ER309Nb E/ER309H	E/ERNiCrMo-3	E/ERNiCrMo-3	E/ERNiCrMo-3	E/ER2209 E/ER309LMo	E/ER2209 E/ER309LMo	E/ER2594 E/ER309LMo	E/ER2553 E/ER309LMo	Aço Carbono Aço BL